

Software Uncertainty in Integrated Environmental Modelling: the role of Semantics and Open Science

Daniele de Rigo^{1,2}

¹ European Commission, Joint Research Centre, Institute for Environment and Sustainability,
Via E. Fermi 2749, I-21027 Ispra (VA), Italy

² Politecnico di Milano, Dipartimento di Elettronica, Informazione e Bioingegneria,
Via Ponzio 34/5, I-20133 Milano, Italy

Copyright © 2013 Daniele de Rigo.

This work is licensed under a Creative Commons Attribution 3.0 Unported License

(<http://creativecommons.org/licenses/by/3.0/>).

See: http://www.egu2013.eu/abstract_management/license_and_copyright.html

This is the author's version of the work. The definitive version has been published in the Vol. 15 of Geophysical Research Abstracts (ISSN 1607-7962) and presented at the European Geosciences Union (EGU) General Assembly 2013, Vienna, Austria, 07–12 April 2013

<http://www.egu2013.eu/>

Cite as:

de Rigo, D., 2013. **Software Uncertainty in Integrated Environmental Modelling: the role of Semantics and Open Science**. *Geophys Res Abstr* 15, 13292+

Author's version DOI: [10.6084/m9.figshare.155701](https://doi.org/10.6084/m9.figshare.155701) , arXiv: [1311.4762](https://arxiv.org/abs/1311.4762)

COMPUTATIONAL aspects increasingly shape environmental sciences [1]. Actually, transdisciplinary modelling of complex and uncertain environmental systems is challenging computational science (CS) and also the science-policy interface [2–7].

Large spatial-scale problems falling within this category – i.e. wide-scale transdisciplinary modelling for environment (WSTMe) [8–10]– often deal with factors (a) for which deep-uncertainty [2, 7, 11, 12] may prevent usual statistical analysis of modelled quantities and need different ways for providing policy-making with science-based support. Here, practical recommendations are proposed for tempering a peculiar – not infrequently underestimated –

source of uncertainty. Software errors in complex WSTMe may subtly affect the outcomes with possible consequences even on collective environmental decision-making. Semantic transparency in CS [2, 8, 10, 13, 14] and free software [15, 16] are discussed as possible mitigations (b).


Software uncertainty, black-boxes and free software

Integrated natural resources modelling and management (INRMM) [17] frequently exploits chains of nontrivial data-transformation models (D-TM), each of them affected by uncertainties and errors.

Those D-TM chains may be packaged as monolithic specialized models, maybe only accessible as black-box executables (if accessible at all) [18]. For end-users, black-boxes merely transform inputs in the final outputs, relying on classical peer-reviewed

publications for describing the internal mechanism.

While software tautologically plays a vital role in CS, it is often neglected in favour of more theoretical aspects.



This paradox has been provocatively described as “the invisibility of software in published science. Almost all published pa-

pers required some coding, but almost none mention software, let alone include or link to source code” [49].

Recently, this primacy of theory over reality [50–52] has been challenged by new emerging hybrid approaches [53] and by the growing debate on open science and scientific knowledge freedom [2, 54–57].

In particular, the role of free software has been underlined within the paradigm of re-

producibile research [18, 56–58]. In the spectrum of reproducibility, the free availability of the source code is emphasized [56] as the first step from non-reproducible research (only based on classic peer-reviewed publications) toward reproducibility.

$$Y = f^*(X) = f(\theta^*, X)$$

Theoretic D-TM whose algorithm is typically described in peer reviewed publications. The D-TM may e.g. implement a given WSTMe as instance of a suitable family of functions f by means of selected parameters θ^* . θ^* may be the result of an optimization (regression, control problem, ...).

$$Y = f^\zeta = f(\theta^\zeta, X, \zeta)$$

Real D-TM where the software uncertainty ζ may affect both the function family f and the optimality of the selected parameters θ^ζ .

$$\::|f(\theta, X, \zeta) \::^{sem}$$

Semantically enhanced D-TM (e.g. SemAP). The D-TM is subject to the semantic checks sem as pre-, post-conditions and invariants on inputs, outputs and the D-TM itself:

$$Y = \::|f(\theta, X, \zeta) \::^{sem} \Leftrightarrow \begin{cases} Y = f(\theta, X, \zeta) \\ \square sem(Y, f, \theta, X, \zeta) \end{cases}$$

(b)

where $\left\{ \begin{array}{l} X \text{ is the input array of data } X = \{X_1, X_2, \dots, X_i \dots X_n\} \\ X_i \in \mathbf{C}^{N_{i1} \times \dots \times N_{in_i}} \text{ is a multi-dimensional array (e.g. a two-dimensional raster layer)} \\ Y \text{ is analogously the output array of data} \\ \text{the modal/deontic logic operator } \square p \text{ means: it ought to be that } p. \end{array} \right.$

Applying this paradigm to WSTMe, an alternative strategy to black-boxes would suggest exposing not only final outputs but also key

intermediate layers of data and information along with the corresponding free software D-TM modules.

A concise, semantically-enhanced modularization [13, 14] may help not only to see the code (as a very basic prerequisite for semantic transparency) but also to understand – and correct – it [59]. Semantically-enhanced, concise modularization is e.g. supported by semantic array programming (SemAP) [13, 14] and its extension to geospatial problems [8, 10].

“Software errors in complex WSTMe may subtly affect the outcomes with possible consequences even on collective environmental decision-making”


“The chain of free-software modules should be transparent”

making” [50]. In this context, the further uncertainty arising from the unpredicted “(not to say unpredictable)” [51] behaviour of software errors propagation in WSTMe should be explicitly considered as software uncertainty [60, 61] (see **b**). The data and information flow of a black-box D-TM is often a (hidden) composition of D-TM modules:

$$Y \leftarrow \left(\left[\left[f(\theta, X, \zeta) \right] \right]^{sem} \right) \leftarrow X$$

Some WSTMe may surely be classified in the subset of software systems which “are growing well past the ability of a small group of people to completely understand the content”, while “data from these systems are often used for critical decision

This chain of free-software D-TM modules (each of them semantically-enhanced) should be transparent:



Semantics and design diversity

Silent faults [62] are a critical class of software errors altering computation output without evident symptoms – such as computation premature interruption (exceptions, error messages, ...), obviously unrealistic re-

sults or computation patterns (e.g. noticeably shorter/longer or endless computations). As it has been underlined, “many scientific results are corrupted, perhaps fatally so, by undiscovered mistakes in the software used to calculate and present those results” [63].

Despite the ubiquity of software errors [60–68], the structural role of scientific software uncertainty seems dramatically underestimated [2, 51]. Semantic D-TM modularization might help to catch at least a subset of silent faults, when misusing intermediate data outside the expected semantic context of a given D-TM module (b). Where the complexity and scale of WSTMe may lead unavoidable software-uncertainty to induce or worsen deep-uncertainty [2], techniques such as ensemble modelling may be recommendable [7, 11, 12]. Adapting those

“Semantic modularization might help to catch at least a subset of silent faults, when misusing intermediate data outside the expected semantic context”

“Where the complexity and scale may lead to deep uncertainty, techniques such as ensemble modelling may be recommendable”

techniques for glancing at the software-uncertainty of a given WSTMe would imply availability of multiple instances (implementations) of the same abstract WSTMe. Independently re-implementing the same WSTMe (design diversity [69]) might of course be extremely expensive. However, partly independent re-implementations of critical D-TM modules may be more affordable and examples of comparison between supposedly equivalent D-TM algorithms seem to corroborate the interest of this research option [49, 57, 70].

References

- [1] Casagrandi, R., Guariso, G., 2009. **Impact of ICT in environmental sciences: A citation analysis 1990-2007**. *Environmental Modelling & Software* 24 (7), 865-871. DOI: 10.1016/j.envsoft.2008.11.013 Google Scholar: 10214045160670186637 (page 1).
- [2] de Rigo, D., (exp.) 2013. **Behind the horizon of reproducible integrated environmental modelling at European scale: ethics and practice of scientific knowledge freedom**. *F1000 Research*. Submitted (pages 1, 2, 3, and 5).
- [3] Gomes, C. P., 2009. **Computational sustainability: Computational methods for a sustainable environment, economy, and society**. *The Bridge* 39 (4), 5-13. <http://www.nae.edu/File.aspx?id=17673> (page 1).
- [4] Easterbrook, S. M., Johns, T. C., 2009. **Engineering the software for understanding climate change**. *Computing in Science & Engineering* 11 (6), 65-74. DOI: 10.1109/MCSE.2009.193 Google Scholar: 5281658010101603741 (page 1).
- [5] Hamarat, C., Kwakkel, J. H., Pruyt, E., 2012. **Adaptive robust design under deep uncertainty**. *Technological Forecasting and Social Change*. DOI: 10.1016/j.techfore.2012.10.004 Google Scholar: 1225653171705658912 (pages 1 and 2).
- [6] Bankes, S. C., 2002. **Tools and techniques for developing policies for complex and uncertain systems**. *Proceedings of the National Academy of Sciences of the United States of America* 99 (Suppl 3), 7263-7266. DOI: 10.1073/pnas.092081399 Google Scholar: 2377027768488561757 (pages 1 and 2).
- [7] Kandlikar, M., Risbey, J., Dessai, S., 2005. **Representing and communicating deep uncertainty in climate-change assessments**. *Comptes Rendus Geoscience* 337 (4), 443-455. DOI: 10.1016/j.crte.2004.10.010 Google Scholar: 8596177795590020821 (pages 1, 2, and 5).
- [8] de Rigo, D., Corti, P., Caudullo, G., McInerney, D., Di Leo, M., San-Miguel-Ayanz, J., 2013. **Toward Open Science at the European scale: Geospatial Semantic Array Programming for Integrated Environmental Modelling**. *Geophysical Research Abstracts* 15, 13245+ DOI: 10.6084/m9.figshare.155703 Google Scholar: 17118262245556811911 (pages 1 and 4).
- [9] Rodriguez Aseretto, D., Di Leo, M., de Rigo, D., Corti, P., McInerney, D., Camia, A., San Miguel-Ayanz, J., 2013. **Free and Open Source**

- Software underpinning the European Forest Data Centre.** *Geophysical Research Abstracts* 15, 12101+ DOI: 10.6084/m9.figshare.155700
Google Scholar: 14482024956822192435 (pages 1 and 2).
- [10] de Rigo, D., Corti, P., Caudullo, G., McInerney, D., Di Leo, M., San-Miguel-Ayanz, J., (exp.) 2013. **Supporting Environmental Modelling and Science-Policy Interface at European Scale with Geospatial Semantic Array Programming.** In prep. (pages 1 and 4).
- [11] Lempert, R. J., 2002. **A new decision sciences for complex systems.** *Proceedings of the National Academy of Sciences of the United States of America* 99 (Suppl 3), 7309-7313.
DOI: 10.1073/pnas.082081699
Google Scholar: 3105059191542042306 (pages 1, 2, and 5).
- [12] Gober, P., Kirkwood, C. W., 2010. **Vulnerability assessment of climate-induced water shortage in Phoenix.** *Proceedings of the National Academy of Sciences* 107 (50), 21295-21299.
DOI: 10.1073/pnas.0911113107
Google Scholar: 13404393835259418552 (pages 1 and 5).
- [13] de Rigo, D., 2012. **Semantic Array Programming for Environmental Modelling: Application of the Mastrave library.** In: Seppelt, R., Voinov, A. A., Lange, S., Bankamp, D. (Eds.), International Environmental Modelling and Software Society (iEMSS) 2012 International Congress on Environmental Modelling and Software. Managing Resources of a Limited Planet: Pathways and Visions under Uncertainty, Sixth Biennial Meeting. pp. 1167-1176.
http://www.iemss.org/iemss2012/proceedings/D3_1_0715_deRigo.pdf
Google Scholar: 6628751141895151391 (pages 1 and 4).
- [14] de Rigo, D., 2012. **Semantic Array Programming with Mastrave - Introduction to Semantic Computational Modelling.**
<http://mastrave.org/doc/MTV-1.012-1>
Google Scholar: 6848554969929557252 (pages 1, 2, and 4).
- [15] Free Software Foundation, 2012. **What is free software?** <http://www.gnu.org/philosophy/free-sw.html> (revision 1.118 archived at <http://www.webcitation.org/6DXqCFAN3>)
Google Scholar: 7470103647360812109 (page 1).
- [16] Stallman, R. M., 2009. **Viewpoint: Why "open source" misses the point of free software.** *Communications of the ACM* 52 (6), 31-33.
DOI: 10.1145/1516046.1516058 (free access version:
<http://www.gnu.org/philosophy/open-source-misses-the-point.html>)
Google Scholar: 17751536887456926788 (page 1).
- [17] de Rigo, D., 2012. **Integrated Natural Resources Modelling and Management: minimal redefinition of a known challenge for environmental modelling.** Excerpt from the *Call for a shared research agenda toward scientific knowledge freedom*, Maieutike Research Initiative.
<http://www.citeulike.org/groupfunc/15400/home> (pages 1 and 2).
- [18] Morin, A., Urban, J., Adams, P. D., Foster, I., Sali, A., Baker, D., Sliz, P., 2012. **Shining light into black boxes.** *Science* 336 (6078), 159-160.
DOI: 10.1126/science.1218263
Google Scholar: 12575758499484368256 (pages 2 and 3).
- [19] Lempert, R., Schlesinger, M. E., 2001. **Climate-change strategy needs to be robust.** *Nature* 412 (6845), 375. DOI: 10.1038/35086617
Google Scholar: 3059012525521592083 (page 2).
- [20] Shell, K. M., 2012. **Constraining cloud feedbacks.** *Science* 338 (6108), 755-756.
DOI: 10.1126/science.1231083
Google Scholar: 17586687489186735372 (page 2).
- [21] van der Sluijs, J. P., 2012. **Uncertainty and dissent in climate risk assessment: A Post-Normal perspective.** *Nature and Culture* 7 (2), 174-195. DOI: 10.3167/nc.2012.070204
Google Scholar: 2453345655060253463 (page 2).
- [22] Lenton, T. M., Held, H., Kriegler, E., Hall, J. W., Lucht, W., Rahmstorf, S., Schellnhuber, H. J., 2008. **Tippling elements in the earth's climate system.** *Proceedings of the National Academy of Sciences* 105 (6), 1786-1793. DOI: 10.1073/pnas.0705414105
Google Scholar: 9014054360036592667 (page 2).
- [23] Hastings, A., Wysham, D. B., 2010. **Regime shifts in ecological systems can occur with no warning.** *Ecology Letters* 13 (4), 464-472.
DOI: 10.1111/j.1461-0248.2010.01439.x
Google Scholar: 10306576888461248930 (page 2).
- [24] Barnosky, A. D., Hadly, E. A., Bascompte, J., Berlow, E. L., Brown, J. H., Fortelius, M., Getz, W. M., Harte, J., Hastings, A., Marquet, P. A., Martinez, N. D., Mooers, A., Roopnarine, P., Vermeij, G., Williams, J. W., Gillespie, R., Kitzes, J., Marshall, C., Matzke, N., Mindell, D. P., Revilla, E., Smith, A. B., 2012. **Approaching a state shift in earth's biosphere.** *Nature* 486 (7401), 52-58.

- DOI: [10.1038/nature11018](https://doi.org/10.1038/nature11018)
Google Scholar: [17836601480741683208](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=17836601480741683208) (page 2).
- [25] Milly, P. C. D., Betancourt, J., Falkenmark, M., Hirsch, R. M., Kundzewicz, Z. W., Lettenmaier, D. P., Stouffer, R. J., 2008. **Stationarity is dead: Whither water management?** *Science* 319 (5863), 573-574. DOI: [10.1126/science.1151915](https://doi.org/10.1126/science.1151915)
Google Scholar: [16810436092791821916](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=16810436092791821916) (page 2).
- [26] Sloan, S., Pelletier, J., 2012. **How accurately may we project tropical forest-cover change? A validation of a forward-looking baseline for REDD.** *Global Environmental Change* 22 (2), 440-453. DOI: [10.1016/j.gloenvcha.2012.02.001](https://doi.org/10.1016/j.gloenvcha.2012.02.001)
Google Scholar: [10187012353585922701](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=10187012353585922701) (page 2).
- [27] Nabuurs, G. J., van Putten, B., Knippers, T. S., Mohren, G. M. J., 2008. **Comparison of uncertainties in carbon sequestration estimates for a tropical and a temperate forest.** *Forest Ecology and Management* 256 (3), 237-245. DOI: [10.1016/j.foreco.2008.04.010](https://doi.org/10.1016/j.foreco.2008.04.010)
Google Scholar: [6421873803139267676](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=6421873803139267676) (page 2).
- [28] Green, D. G., Sadedin, S., 2005. **Interactions matter – complexity in landscapes and ecosystems.** *Ecological Complexity* 2 (2), 117-130. DOI: [10.1016/j.ecocom.2004.11.006](https://doi.org/10.1016/j.ecocom.2004.11.006)
Google Scholar: [558815488529198010](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=558815488529198010) (page 2).
- [29] Baker, R., Koch, F., Kriticos, D., Rafoss, T., Venette, R., van der Werf, W. (Eds.), 2012. **Advancing risk assessment models for invasive alien species in the food chain: contending with climate change, economics and uncertainty.** *Bioforsk FOKUS* 7. Bioforsk, Frederik A. Dahls vei 20, 1432 Ås, Norway. http://www.pestrisk.org/2012/BioforskFOKUS7-10_IPRMW-VI.pdf (page 2).
- [30] de Rigo, D., Caudullo, G., San-Miguel-Ayanz, J., Stancanelli, G., 2012. **Mapping European forest tree species distribution to support pest risk assessment.** In: Baker, R., Koch, F., Kriticos, D., Rafoss, T., Venette, R., van der Werf, W. (Eds.), *Advancing risk assessment models for invasive alien species in the food chain: contending with climate change, economics and uncertainty.* *Bioforsk FOKUS* 7. Bioforsk, Frederik A. Dahls vei 20, 1432 Ås, Norway. http://www.pestrisk.org/2012/BioforskFOKUS7-10_IPRMW-VI.pdf
Google Scholar: [6508055261897528514](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=6508055261897528514) (page 2).
- [31] Thompson, I., Mackey, B., McNulty, S., Mosseler, A., 2009. **Forest resilience, biodiversity, and climate change: a synthesis of the biodiversity/resilience/stability relationship in forest ecosystems.** Vol. 43 of Technical Series. Secretariat of the Convention on Biological Diversity. ISBN: 9292251376
Google Scholar: [16541384134391848156](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=16541384134391848156) (page 2).
- [32] Center for International Forestry Research., FAO Regional Office for Asia and the Pacific, 2005. **Forests and floods: drowning in fiction or thriving on facts?** Center for International Forestry Research; Food and Agriculture Organization of the United Nations, Regional Office for Asia and the Pacific. <http://www.worldcat.org/isbn/9793361646> (page 2).
- [33] Bonan, G. B., 2008. **Forests and climate change: Forcings, feedbacks, and the climate benefits of forests.** *Science* 320 (5882), 1444-1449. DOI: [10.1126/science.1155121](https://doi.org/10.1126/science.1155121)
Google Scholar: [12659549051072980947](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=12659549051072980947) (page 2).
- [34] Ferreira, L., Constantino, M. F., Borges, J. G., Garcia-Gonzalo, J., 2012. **A stochastic dynamic programming approach to optimize Short-Rotation coppice systems management scheduling: An application to eucalypt plantations under wildfire risk in portugal.** *Forest Science*, 353-365. DOI: [10.5849/forsci.10-084](https://doi.org/10.5849/forsci.10-084)
Google Scholar: [15823418833962927194](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=15823418833962927194) (page 2).
- [35] de Rigo, D., Rizzoli, A. E., Soncini-Sessa, R., Weber, E., Zenesi, P., 2001. **Neuro-dynamic programming for the efficient management of reservoir networks.** In: Proceedings of MODSIM 2001, International Congress on Modelling and Simulation. Vol. 4. Modelling and Simulation Society of Australia and New Zealand, pp. 1949-1954. DOI: [10.5281/zenodo.7481](https://doi.org/10.5281/zenodo.7481)
Google Scholar: [16120008708786398621](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=16120008708786398621) (page 2).
- [36] Bond, C. A., Champ, P., Meldrum, J., Schoettle, A., 2011. **Investigating the optimality of proactive management of an invasive forest pest.** In: Keane, R. E., Tomback, D. F., Murray, M. P., Smith, C. M. (Eds.), *The future of high-elevation, five-needle white pines in Western North America: Proceedings of the High Five Symposium.* U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, pp. 295-302. <http://www.treearch.fs.fed.us/pubs/38241>
Google Scholar: [15999737409186644552](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=15999737409186644552) (page 2).
- [37] de Rigo, D., Castelletti, A., Rizzoli, A. E., Soncini-Sessa, R., Weber, E., 2005. **A selective improvement technique for fastening neuro-dynamic programming in water resources network management.** In: Zitek, P. (Ed.), *Proceedings of the 16th IFAC World Congress.* Vol. 16. International Federation of Automatic Control (IFAC), pp. 7-12. DOI: [10.3182/20050703-6-CZ-1902.02172](https://doi.org/10.3182/20050703-6-CZ-1902.02172)
Google Scholar: [3101827154043147997](https://scholar.google.com/citations?view_op=view_citation&hl=en&user=3101827154043147997) (page 2).

- [38] Phillis, Y. A., Kouikoglou, V. S., 2012. **System-of-Systems hierarchy of biodiversity conservation problems.** *Ecological Modelling* 235-236, 36-48.
DOI: [10.1016/j.ecolmodel.2012.03.032](https://doi.org/10.1016/j.ecolmodel.2012.03.032)
Google Scholar: [14693363263013674243](https://scholar.google.com/citations?user=14693363263013674243) (page 2).
- [39] Cavallo, A., Nardo, A., 2008. **Optimal fuzzy management of reservoir based on genetic algorithm.** In: Lowen, R., Verschoren, A. (Eds.), *Foundations of Generic Optimization*. Vol. 24 of *Mathematical Modelling: Theory and Applications*. Springer Netherlands, pp. 139-159.
DOI: [10.1007/978-1-4020-6668-9_2](https://doi.org/10.1007/978-1-4020-6668-9_2)
Google Scholar: [596109054217603623](https://scholar.google.com/citations?user=596109054217603623) (page 2).
- [40] Castelletti, A., de Rigo, D., Tepsich, L., Soncini-Sessa, R., Weber, E., 2008. **On-Line design of water reservoir policies based on inflow prediction.** In: Myung, C., Misra, P. (Eds.), *Proceedings of the 17th IFAC World Congress*. Vol. 17. International Federation of Automatic Control (IFAC), pp. 14540-14545.
DOI: [10.3182/20080706-5-KR-1001.02463](https://doi.org/10.3182/20080706-5-KR-1001.02463)
Google Scholar: [17611910683549006538](https://scholar.google.com/citations?user=17611910683549006538) (page 2).
- [41] Kempeneers, P., Sedano, F., Seebach, L. M., Strobl, P., San-Miguel-Ayanz, J., 2011. **Data fusion of different spatial resolution remote sensing images applied to Forest-Type mapping.** *IEEE Transactions on Geoscience and Remote Sensing* 49 (12), 4977-4986. DOI: [10.1109/TGRS.2011.2158548](https://doi.org/10.1109/TGRS.2011.2158548)
Google Scholar: [1622266323511963573](https://scholar.google.com/citations?user=1622266323511963573) (page 2).
- [42] Sedano, F., Kempeneers, P., Strobl, P., McInerney, D., San-Miguel-Ayanz, J., 2012. <http://dx.doi.org/10.3390/rs4030726>
<http://dx.doi.org/10.3390/rs4030726RS-AWIFS>
data for mediterranean Europe. *Remote Sensing* 4 (3), 726-744. DOI: [10.3390/rs4030726](https://doi.org/10.3390/rs4030726)
Google Scholar: [16654372463982241297](https://scholar.google.com/citations?user=16654372463982241297) (page 2).
- [43] de Rigo, D., Bosco, C., 2011. **Architecture of a Pan-European Framework for Integrated Soil Water Erosion Assessment.** *IFIP Advances in Information and Communication Technology* 359, 310-318. DOI: [10.1007/978-3-642-22285-6_34](https://doi.org/10.1007/978-3-642-22285-6_34)
Google Scholar: [3950024085016158193](https://scholar.google.com/citations?user=3950024085016158193) (page 2).
- [44] Voinov, A., Shugart, H. H., 2013. **'Integronsters', integral and integrated modeling.** *Environmental Modelling & Software* 39, 149-158.
DOI: [10.1016/j.envsoft.2012.05.014](https://doi.org/10.1016/j.envsoft.2012.05.014)
Google Scholar: [17438791388360294950](https://scholar.google.com/citations?user=17438791388360294950) (page 2).
- [45] Mendoza, G. A., Martins, H., 2006. **Multi-criteria decision analysis in natural resource management: A critical review of methods and new modelling paradigms.** *Forest Ecology and Management* 230 (1-3), 1-22.
DOI: [10.1016/j.foreco.2006.03.023](https://doi.org/10.1016/j.foreco.2006.03.023)
Google Scholar: [17320958744182864860](https://scholar.google.com/citations?user=17320958744182864860) (page 2).
- [46] O'Farrell, P. J., Anderson, P. M. L., 2010. **Sustainable multifunctional landscapes: a review to implementation.** *Current Opinion in Environmental Sustainability* 2 (1-2), 59-65.
DOI: [10.1016/j.cosust.2010.02.005](https://doi.org/10.1016/j.cosust.2010.02.005)
Google Scholar: [11738195672718592653](https://scholar.google.com/citations?user=11738195672718592653) (page 2).
- [47] Dale, V. H., Beyeler, S. C., 2001. **Challenges in the development and use of ecological indicators.** *Ecological Indicators* 1 (1), 3-10.
DOI: [10.1016/S1470-160X\(01\)00003-6](https://doi.org/10.1016/S1470-160X(01)00003-6)
Google Scholar: [6821471585672677713](https://scholar.google.com/citations?user=6821471585672677713) (page 2).
- [48] Gilbert, N., 2010. **Balancing water supply and wildlife.** *Nature*. DOI: [10.1038/news.2010.505](https://doi.org/10.1038/news.2010.505)
Google Scholar: [4413680200627277742](https://scholar.google.com/citations?user=4413680200627277742) (page 2).
- [49] Barnes, N., Jones, D., 2011. **Clear climate code: Rewriting legacy science software for clarity.** *Software, IEEE* 28 (6), 36-42.
DOI: [10.1109/MS.2011.113](https://doi.org/10.1109/MS.2011.113)
Google Scholar: [12280553201622082598](https://scholar.google.com/citations?user=12280553201622082598) (pages 2 and 5).
- [50] Sanders, R., Kelly, D., 2008. **Dealing with risk in scientific software development.** *Software, IEEE* 25 (4), 21-28. DOI: [10.1109/MS.2008.84](https://doi.org/10.1109/MS.2008.84)
Google Scholar: [5979969088190020135](https://scholar.google.com/citations?user=5979969088190020135) (pages 3 and 4).
- [51] Cerf, V. G., 2012. **Where is the science in computer science?** *Commun. ACM* 55 (10), 5.
DOI: [10.1145/2347736.2347737](https://doi.org/10.1145/2347736.2347737)
Google Scholar: [15391984385653800704](https://scholar.google.com/citations?user=15391984385653800704) (pages 3, 4, and 5).
- [52] Pincas, U., 2011. **Program verification and functioning of operative computing revisited: How about mathematics engineering?** *Minds and Machines* 21 (2), 337-359.
DOI: [10.1007/s11023-011-9237-z](https://doi.org/10.1007/s11023-011-9237-z)
Google Scholar: [8660462933112825884](https://scholar.google.com/citations?user=8660462933112825884) (page 3).
- [53] Sanders, P., 2009. **Algorithm engineering – an attempt at a definition.** In: Albers, S., Alt, H., N adher, S. (Eds.), *Efficient Algorithms*. Vol. 5760 of *Lecture Notes in Computer Science*. Springer Berlin Heidelberg, pp. 321-340.
DOI: [10.1007/978-3-642-03456-5_22](https://doi.org/10.1007/978-3-642-03456-5_22)
Google Scholar: [16310481551473795186](https://scholar.google.com/citations?user=16310481551473795186) (page 3).
- [54] Kleiner, K., 2011. **Data on demand.** *Nature Climate Change* 1 (1), 10-12.
DOI: [10.1038/nclimate1057](https://doi.org/10.1038/nclimate1057)
Google Scholar: [13711304819619162709](https://scholar.google.com/citations?user=13711304819619162709) (page 3).
- [55] Nature, 2011. **Devil in the details.** *Nature* 470 (7334), 305-306. DOI: [10.1038/470305b](https://doi.org/10.1038/470305b) (page 3).

- [56] Peng, R. D., 2011. **Reproducible research in computational science.** *Science* 334 (6060), 1226-1227. DOI: [10.1126/science.1213847](https://doi.org/10.1126/science.1213847)
Google Scholar: [905554772905069177](https://scholar.google.com/citations?user=905554772905069177) (page 3).
- [57] Cai, Y., Judd, K. L., Lontzek, T. S., 2012. **Open science is necessary.** *Nature Climate Change* 2 (5), 299. DOI: [10.1038/nclimate1509](https://doi.org/10.1038/nclimate1509)
Google Scholar: [10156741028963436768](https://scholar.google.com/citations?user=10156741028963436768) (pages 3 and 5).
- [58] Ghisla, A., Rocchini, D., Neteler, M., Förster, M., Kleinschmit, B., 2012. **Species distribution modelling and open source GIS: why are they still so loosely connected?** In: Seppelt, R., Voinov, A. A., Lange, S., Bankamp, D. (Eds.), International Environmental Modelling and Software Society (iEMSS) 2012 International Congress on Environmental Modelling and Software. Managing Resources of a Limited Planet: Pathways and Visions under Uncertainty, Sixth Biennial Meeting. pp. 1481-1488.
http://www.iemss.org/iemss2012/proceedings/D6_0897_Ghisla_et_al.pdf
Google Scholar: [6265264564814017260](https://scholar.google.com/citations?user=6265264564814017260) (page 3).
- [59] Iverson, K. E., 1980. **Notation as a tool of thought.** *Communications of the ACM* 23 (8), 444-465. <http://awards.acm.org/images/awards/140/articles/9147499.pdf>
Google Scholar: [15203139354397204728](https://scholar.google.com/citations?user=15203139354397204728) (page 4).
- [60] Lehman, M. M., 1989. **Uncertainty in computer application and its control through the engineering of software.** *J. Softw. Maint: Res. Pract.* 1 (1), 3-27. DOI: [10.1002/smr.4360010103](https://doi.org/10.1002/smr.4360010103)
Google Scholar: [11699944162229777276](https://scholar.google.com/citations?user=11699944162229777276) (pages 4 and 5).
- [61] Lehman, M. M., Ramil, J. F., 2002. **Software uncertainty.** In: Bustard, D., Liu, W., Sterritt, R. (Eds.), *Soft-Ware 2002: Computing in an Imperfect World*. Vol. 2311 of Lecture Notes in Computer Science. Springer Berlin / Heidelberg, Ch. 14, pp. 477-514. DOI: [10.1007/3-540-46019-5_14](https://doi.org/10.1007/3-540-46019-5_14)
Google Scholar: [15328955307076618013](https://scholar.google.com/citations?user=15328955307076618013) (pages 4 and 5).
- [62] Hook, D., Kelly, D., 2009. **Testing for trustworthiness in scientific software.** In: *Software Engineering for Computational Science and Engineering*, 2009. SECSE '09. ICSE Workshop on. IEEE, Washington, DC, USA, pp. 59-64. DOI: [10.1109/SECSE.2009.5069163](https://doi.org/10.1109/SECSE.2009.5069163)
Google Scholar: [9959381250960735693](https://scholar.google.com/citations?user=9959381250960735693) (pages 4 and 5).
- [63] Hatton, L., 2007. **The chimera of software quality.** *Computer* 40 (8), 104-103. DOI: [10.1109/MC.2007.292](https://doi.org/10.1109/MC.2007.292)
Google Scholar: [691364900894680251](https://scholar.google.com/citations?user=691364900894680251) (pages 4 and 5).
- [64] Hatton, L., 1997. **The t experiments: errors in scientific software.** *Computational Science & Engineering, IEEE* 4 (2), 27-38. DOI: [10.1109/99.609829](https://doi.org/10.1109/99.609829)
Google Scholar: [8585904454769261330](https://scholar.google.com/citations?user=8585904454769261330) (page 5).
- [65] Hatton, L., 2012. **Defects, scientific computation and the scientific method uncertainty quantification in scientific computing.** Vol. 377 of IFIP Advances in Information and Communication Technology. Springer Boston, Berlin, Heidelberg, Ch. 8, pp. 123-138. DOI: [10.1007/978-3-642-32677-6_8](https://doi.org/10.1007/978-3-642-32677-6_8)
Google Scholar: [1399353442026811576](https://scholar.google.com/citations?user=1399353442026811576) (page 5).
- [66] Lehman, M. M., 1996. **Laws of software evolution revisited software process technology.** In: Montangero, C. (Ed.), *Software Process Technology*. Vol. 1149 of Lecture Notes in Computer Science. Springer Berlin/Heidelberg, Ch. 12, pp. 108-124. DOI: [10.1007/BFb0017737](https://doi.org/10.1007/BFb0017737)
Google Scholar: [3754503458653974527](https://scholar.google.com/citations?user=3754503458653974527) (page 5).
- [67] Oberkampf, W. L., DeLand, S. M., Rutherford, B. M., Diegert, K. V., Alvin, K. F., 2002. **Error and uncertainty in modeling and simulation.** *Reliability Engineering & System Safety* 75 (3), 333-357. DOI: [10.1016/S0951-8320\(01\)00120-X](https://doi.org/10.1016/S0951-8320(01)00120-X)
Google Scholar: [10613684146262342334](https://scholar.google.com/citations?user=10613684146262342334) (page 5).
- [68] Wilson, G., 2006. **Where's the real bottleneck in scientific computing?** *American Scientist* 94 (1), 5+. DOI: [10.1511/2006.1.5](https://doi.org/10.1511/2006.1.5)
Google Scholar: [12828974620192082182](https://scholar.google.com/citations?user=12828974620192082182) (page 5).
- [69] Rebaudengo, M., Reorda, M., Violante, M., 2011. **Software-Level Soft-Error mitigation techniques.** In: Nicolaidis, M. (Ed.), *Soft Errors in Modern Electronic Systems*. Vol. 41 of Frontiers in Electronic Testing. Springer US, pp. 253-285. DOI: [10.1007/978-1-4419-6993-4_9](https://doi.org/10.1007/978-1-4419-6993-4_9)
Google Scholar: [15742657402676184752](https://scholar.google.com/citations?user=15742657402676184752) (page 5).
- [70] Beaudette, D., 2008. **Simple comparison of two Least-Cost path approaches.** In: *Open Source Software Tools for Soil Scientists*. <http://casoilresource.lawr.ucdavis.edu/drupal/node/544> (archived at: <http://www.webcitation.org/6DOLHBRXW>)
Google Scholar: [14623451910171059303](https://scholar.google.com/citations?user=14623451910171059303) (page 5).